

GROUPE DE RECHERCHE SUR L'ALCOOL ET LES PHARMACODÉPENDANCES

Publications du GRAP

[Accueil](#) > [Publications](#)

[2017](#)
[2016](#)
[2015](#)
[2014](#)

2017

» Comparison between the WHO and NIAAA criteria for binge drinking on drinking features and alcohol-related aftermaths: Results from a cross-sectional study among eight emergency wards in France. B Rolland et al. *Drug and Alcohol Dependence* - March 2017

DOI: 10.1016/j.drugalcdep.2017.01.034» Binge Drinking: Current Diagnostic and Therapeutic Issues. Rolland B, Naassila M. *CNS Drugs*. 2017 Feb 15. FI 4.9

» Resistance to ethanol sensitization is associated with a loss of synaptic plasticity in the hippocampus. F. Coune, B. Silvestre de Ferron, MC Gonzalez-Marin, J. Antol, M Naassila, O. Pierrefiche. *Synapse* 2017 FI 2.12

2016

» increase of KCC2 in hippocampal synaptic plasticity disturbances after perinatal ethanol exposure. B Silvestre de Ferron, C Vilpoux, M Kervern, A Robert, J Antol, M Naassila, O Pierrefiche. *Accepted dans Addiction Biology* 2016. FI 4.5

» Use of alcohol during pregnancy in France: another french paradox? O Pierrefiche, M Daoust, M Naassila *J of Pregnancy & Child Health* 2016

» Hepatocyte SLAMF3 reduced specifically the multi-drugs resistance protein MRP-1 and increases HCC cells sensitization to anti-cancer drugs. G Fouquet, V Debuysscher, H Ouled-Haddou, M Simoes Eugenio, B Demey, A Rabbind Singh, C Ossart, M Al Bagami, JM Regimbeau, E Nguyen-Khac, M Naassila, I Marcq, H Bouhhal. *Oncotarget* et DOI: 10.18632/oncotarget.8679 FI 6.36

2015

» Altered white matter integrity in whole brain and segments of corpus callosum, in young social drinkers with binge drinking pattern. KW. Smith, F Gierski, J Andre, NG. Dowell, M Cercignani, M Naassila, T Duka. 2015 *Addiction Biology* FI 5.4

» Comorbidity Between Psychiatric Diseases and Alcohol Use Disorders: Impact of Adolescent Alcohol Consumption. J Jeanblanc *Current Addiction reports*

» Sensitization to the Stimulant Motor Effects of Ethanol Is Not Dependent On Tolerance to Ataxic or Sedative Properties of Ethanol in Female Mice. R Legastelois, B Botia and M Naassila. *Accepted dans J Alcohol Drug Depend* 2015

» Two binges of ethanol a days keep the memory away in adolescent rats. B Silvestre de Ferron et al. 2015 *Int J Neuropsychopharmacology* FI 5.2

» Metacognitions about alcohol use among university students: Psychometric properties of the PAMS and NAMS French versions. Fabien Gierski, Marcantonio M Spada, Eveline Fois, Aurélie Picard, M Naassila, Martial Van der Linden. 2015 *Drug and Alcohol Dependence* FI 3.27.

» A portable system for studying discrete-trial group choice. Sokolowski MB, Tonneau F, Cordevant MA. *J Exp Anal*

Behav. 2015;103(2):419-26.

- » The Class I-specific HDAC inhibitor MS-275 decreases motivation to consume alcohol and relapse in heavy drinking rats. [Jeanblanc J, Lemoine S, Jeanblanc V, Naassila M. Int J Neuropsychopharmacol. 2015. FI 5.2.](#)
 - » Basal anxiety negatively correlates with vulnerability to ethanol-induced behavioral sensitization in DBA/2J mice: modulation by diazepam. [Botia B, Legastelois R, Houchi H, Naassila M. Alcohol Clin Exp Res. 2015 Jan;39\(1\):45-54. FI 3.8.](#)
 - » Aberrant NMDA-dependent LTD after perinatal ethanol exposure in young adult rat hippocampus . [M Kervern, B Silvestre de Ferron, S Alaux-Cantin, O Fedorenko, J Antol, M Naassila, O Pierrefiche. Hippocampus 2015 FI 4.2.](#)
 - » Effets de l'alcoolisation pendant la grossesse . [H Houchi; O Pierrefiche, M Naassila, M Daoust. Les cahiers de nutrition et de diététique 2015](#)
- Characterization of the deleterious effects induced by alcohol consumption in binge-like drinking conditions in mice. [H Lacaille, D Duterte-Boucher, D Liot, H Vaudry, M Naassila and D Vaudry. J Neurochem 2015 FI 4.2.](#)

2014

- Expertise collective INSERM "Les conduites addictives chez les adolescents lien_externe". 2014. [Vulnérabilité des adolescents aux addictions et corrélats neurobiologiques 159-186 Effets néfastes de l'alcool : impact du binge drinking sur le cerveau 187-215. M Naassila](#)
- Conduites d'alcoolisation et binge drinking chez l'adolescent : apport des neurosciences. Gierski, F. & Naassila, M. (2014). In Battaglia, N. & Gierski, F. (Eds.) (2014). L'addiction chez les adolescents : psychologie des conduites addictives. Paris : De Boeck - Solal (collection lien_externe"Troubles du développement psychologique et des apprentissages) ; pages 17-60
- An assessment of fixed interval timing in free-flying honey bees (*Apis mellifera ligustica*): an analysis of individual performance. [Craig DP, Varnon CA, Sokolowski MB, Wells H, Abramson CI. PLoS One. 2014;9\(7\):e101262.](#)
- Drogues et adolescence : un mauvais cocktail > PAR M NAASSILA. [Textes et Documents pour la Classe \(TDC\) La revue des enseignants p 14-17](#)
- Memantine reduces alcohol drinking but not relapse in alcohol-dependent rats > [S Alaux-Cantin, R Buttolo, H Houchi, J Jeanblanc & M Naassila Addiction Biology 2014FI 5.9.](#)
- The histone deacetylase inhibitor sodium butyrate decreases excessive ethanol intake in dependent animals > [E Simon O'Brien, S Alaux-Cantin, V Warnault, R Buttolo, M Naassila, C Vilpoux Addiction Biology 2014FI 5.9.](#)
- Light alcohol intake during adolescence induces alcohol addiction in a neurodevelopmental model of schizophrenia > [J Jeanblanc, K Balguerie, F Coune, R Legastelois, V Jeanblanc & M Naassila Addiction Biology 2014FI 5.9.](#)
- Endogenous nitric oxide but not exogenous no-donor S-nitroprussiate facilitates NMDA excitation in spontaneous rhythmic neonatal rat brainstem slice > [O Pierrefiche, M Naassila. Brain Research 2014FI 2.88](#)
- Deciphering the relationship between vulnerability to ethanol-induced behavioral sensitization and ethanol consumption in outbred mice > [R Legastelois, B Botia, F Coune, J Jeanblanc and M Naassila. Addiction Biology 2013FI 5.9.](#)
- Hépatite alcoolique aiguë sévère. [E. Nguyen-Khac, D. Chatelain, H. Houchi, V. Lloyd. EMC Hépatologie. 2014](#)

[2013](#)

[2012](#)

[2011](#)

[<](#)

2013

- Biture et cerveau, un mauvais cocktail > [La Recherche; Addictions : Qui est menacé ? Peut-on s'en sortir ? dossiers n°6 octobre 2013](#)
- De nouvelles pistes contre l'alcoolisme > [La Recherche; Addictions : Qui est menacé ? Peut-on s'en sortir ? dossiers n°6 octobre 2013](#)
- Neurobiologie de l'alcoolisme > [M. Naassila. Alcool et troubles mentaux. De la compréhension à la prise en charge du double diagnostic. Collection Médecine et psychothérapie. ELSEVIER MASSON](#)
- Chronic ethanol exposure during development: Disturbances of breathing and adaptation. > [C. Dubois , M. Kervern, M. Naassila, O. Pierrefiche. Respiratory Physiology & Neurobiology. FI 2.05](#)
- Human and Experimental Evidence Supporting a Role for Osteopontin in Alcoholic. Hepatitis. > [O Morales-Ibanez, M Dominguez, S Ki, M Marcos, FJ. Chaves, E Nguyen-Khac, H Houchi, et al. Hepatology 2013 FI 11.7](#)
- Brain-Derived Neurotrophic Factor mediates the suppression of alcohol self-administration by memantine > [J Jeanblanc, F Coune, B Botia and M Naassila; Addiction Biology 2013 FI 5.9](#)
- Alcohol intoxications during adolescence increase motivation for alcohol in adult rats and induce neuroadaptations in the nucleus accumbens. >[S Alaux-Cantin, V Warnault, R Legastelois, B Botia, O Pierrefiche, C Vilpoux & M Naassila Neuropharmacology 2013FI 4.8](#)
- The adenosine A2A receptor agonist CGS 21680 decreases ethanol self-administration in both

non-dependent and dependent animals > H Houchi, W Persyn, R Legastelois, M Naassila. *Addiction Biology* 2013FI 5.9.

Blockade of ethanol-induced behavioral sensitization by sodium butyrate: descriptive analysis of gene regulations in the striatum > B Botia, R Legastelois, M Naassila. *Alcohol Clin Exp Res.* 2013FI 3.8

2012

Expression of ethanol-induced behavioral sensitization is associated with alteration of chromatin remodeling in mice > B Botia, R Legastelois, M Naassila. *PlosOne* 2012FI 4.0

Alcohol and rats. M Naassila. Elsevier Encyclopedia on Addictive behaviors, Biological Research on Addiction, Volume 2, 2013 > M Naassila. Elsevier Encyclopedia on Addictive behaviors, Biological Research on Addiction, Volume 2, 2013

Enjeux actuels et perspectives de la recherche sur l'addiction à l'alcool. M Naassila *Le courrier des addictions* Vol.14:n°3 (2012/07-08-09) – p. 15-17

Chronic and Intermittent Exposure to Alcohol Vapors A New Model of Alcohol-Induced Osteopenia in the Rat > D B. Maurel, C Jaffré, E Simon O'Brien, C C. Tournier, H Houchi, CL Benhamou, and M Naassila *Alcohol Clin Exp Res.* 2012FI 3.4

"Beetrack": A software for 2D open field locomotion analysis in honey bees. > Sokolowski MB, Moine M, Naassila M. *J Neurosci Methods* 2012.

Ethanol Self-Administration in Free-Flying Honeybees (*Apis mellifera* L.) in an Operant Conditioning Protocol. > Sokolowski MB, Sokolowski MB, Abramson CI, Craig DP. *Alcohol Clin Exp Res.* 2012 Apr 4.FI 3.4

The effect of pymetrozine (Plenum WG-50) on proboscis extension conditioning in honey bees (*Apis mellifera*: Hybrid var. Buckfast). > Abramson CI, Sokolowski MB, Brown EA, Pilard S. *Ecotoxicol Environ Saf.* 2012 Apr;78:287-95.

Potential role of cortical 5-HT(2A) receptors in the anxiolytic action of cyamemazine in benzodiazepine withdrawal. > Benyamina A, Naassila M, Bourin M. *Psychiatry Research* 2012.

2011

Glucocorticoids plus N-acetylcysteine in severe alcoholic hepatitis. > Nguyen-Khac E, Thevenot T, Piquet MA, Benferhat S, Gorla O, Chatelain D, Tramier B, Dewaele F, Ghrib S, Rudler M, Carbonell N, Tossou H, Bental A, Bernard-Chabert B, Dupas JL; AAH-NAC Study Group. *N Engl J Med.* 2011 Nov 10;365(19):1781-9. IF 54.4

Fluoxetine, desipramine, and the dual antidepressant milnacipran reduce alcohol self-administration and/or relapse in dependent rats > E Simon O'Brien, R Legastelois, H Houchi, C Vilpoux, S Alaux-Cantin, O Pierrefiche, E André and M Naassila. *Neuropsychopharmacology* IF 6.99

Dépendances, regards croisés. Aspect clinique de l'addiction à l'alcool > M Naassila. *Revue generale de droit medical.*

<</h3>

2010

Lack of association between tumor necrosis factor receptor types 1 & 2 gene polymorphism and severe acute alcoholic hepatitis. > E Nguyen-Khac, H Houchi, M Daoust, JL Dupas, M Naassila. *Eur J Gastroenterol* 22(7):794-800.

2009

Alcoholic Liver Disease: Better Patient Group Definition Is Require. > E Nguyen-Khac, H Houchi, M Daoust and M Naassila. *The American Journal of GASTROENTEROLOGY* 2009. Letter to the editor

Predicting the effect of naltrexone and acamprosate in alcohol-dependent patients using genetic indicators.> W

Ooteman, M Naassila, M W.J. Koeter, R Verheul, G M. Schippers, H Houchi, M Daoust, W van den Brink. *Addiction Biology* 2009.

Effects of prenatal and postnatal maternal ethanol on offspring response to alcohol and psychostimulants in Long evans rats.> E Barbier, H Houchi, V Warnault, O Pierrefiche, M Daoust, M Naassila. *Neuroscience* 2009.

Perinatal Alcohol Exposure in Rat Induces Long-term Depression of Respiration After Episodic Hypoxia.> Kervern M, Dubois C, Barbier E, Naassila M, Daoust M, Pierrefiche O. *AJRCCM* 2009. Facteur d'impact 9.1

Lack of association between tumor necrosis factor receptor types 1 &2 gene polymorphism and severe acute alcoholic hepatitis. > E Nguyen-Khac, H Houchi, M Daoust, JL Dupas, M Naassila. *Eur J Gastroenterol & hepatol* 2009.

Ethanol-sensitive brain regions in rat and mouse: A cartographic review, using immediate early gene expression> Vilpoux C, Warnault V, Pierrefiche O, Daoust M, Naassila M, *Alcoholism Clin Exp Res* 2009
2008

Long-term alterations in vulnerability to addiction to drugs of abuse and in brain gene expression after early life ethanol exposure> E Barbier, O Pierrefiche, D Vaudry , H Vaudry, M Daoust, M Naassila. *Neuropharmacology* 2008.

Involvement of A2A receptors in anxiolytic, locomotor and motivational properties of ethanol in mice> H Houchi, V Warnault, E Barbier, C Dubois, O Pierrefiche, C Ledent, M Daoust† and M Naassila, *Genes Brain & Behavior* 2008.

Dossier: L'alcool un paradoxe. Du plaisir à la dépendance> N aassila M, *Cerveau & Psycho* 2008.

A HAPLOTYPE OF THE DRD1 GENE IS ASSOCIATED WITH ALCOHOL DEPENDENCE. Batel P, Houchi H, Daoust M, Naassila M, Gorwood P. *Alcoholism Clin Exp Res* 2008, Pdf
The -308 TNFa Gene Polymorphism in Severe Acute Alcoholic Hepatitis: Identification of a New Susceptibility Marker. Eric Nguyen-Khac, Hakim Houchi, Martine Daoust, Jean Louis Dupas and Mickael Naassila. *Alcoholism Clin Exp Res* 2008, Pdf

Blunted response to low oxygen of rat respiratory network

after perinatal ethanol exposure: involvement of inhibitory control. Dubois C, Houchi H, Naassila M, Daoust M, Pierrefiche O. J Physiol 2008, Pdf

2007

Warnault V, Houchi H, Barbier E, Pierrefiche O, Vilpoux C, Ledent C, Daoust M and Naassila M. The lack of CB1 receptors prevents neuroadaptations of both NMDA and GABAA receptors after chronic ethanol exposure. Journal of Neurochemistry. 2007, Pdf

Dubois C, Naassila M, Daoust M and Pierrefiche O. EARLY CHRONIC ETHANOL EXPOSURE IN RATS DISTURBS RESPIRATORY NETWORK ACTIVITY AND INCREASES SENSITIVITY TO ETHANOL. Journal Physiol. 2006 in press, Pdf

Wendy OOTEMAN, Roel VERHEUL, Mickael NAASSILA, martine DAOUST, Gerard M. SCHIPPERS, Maarten W. J. KOETER, & Wim VAN DEN BRINK. Patient-treatment matching with anti-craving medications in alcohol-dependent patients: A review on phenotypic, endophenotypic and genetic indicators. Journal of Substance Use. 2005 april, Pdf

Houchi H, Babovic D, Pierrefiche O, Ledent C, Daoust M and Naassila M. CB1 receptor knockout mice display reduced ethanol-induced conditioned place preference and increased striatal dopamine D2 receptors. Neuropsychopharmacology. 2005;30(2):339-49. Pdf

Pierrefiche O, Daoust M, Naassila M. Biphasic effect of acamprosate on NMDA but not on GABAA receptors in spontaneous rhythmic activity from the isolated neonatal rat respiratory network. Neuropharmacology. 2004 Jul;47(1):35-45. Pdf

Naassila M, Pierrefiche O, Ledent C, Daoust M. Decreased alcohol self-administration and increased alcohol sensitivity and withdrawal in CB1 receptor knockout mice. Neuropharmacology. 2004 Feb;46(2):243-53. Pdf

Naassila M, Pierrefiche O, Beaugé FJ, Sebire N, Daoust M. Chronic ethanol exposure differentially regulates NOS1 mRNA levels depending on rat brain area. Neurosci Lett. 2003 Mar 6;338(3):221-4. pdf

Naassila M, Ledent C, Daoust M. Low ethanol sensitivity and

increased ethanol consumption in mice lacking adenosine A2A receptors. *J Neurosci*. 2002 Dec 1;22(23):10487-93. pdf

Boulouard M, Lelong V, Daoust M, Naassila M. Chronic ethanol consumption induces tolerance to the spatial memory impairing effects of acute ethanol administration in rats. *Behav Brain Res*. 2002 Oct 17;136(1):239-46. pdf

Naassila M, Daoust M. Effect of prenatal and postnatal ethanol exposure on the developmental profile of mRNAs encoding NMDA receptor subunits in rat hippocampus. *J Neurochem*. 2002 Mar;80(5):850-60. pdf

Bao X, Hui D, Naassila M, Michaelis EK. Chronic ethanol exposure increases gene transcription of subunits of an N-methyl-D-aspartate receptor-like complex in cortical neurons in culture. *Neurosci Lett*. 2001 Nov 23;315(1-2):5-8. pdf

El Yacoubi M, Ledent C, Parmentier M, Daoust M, Costentin J, Vaugeois J. Absence of the adenosine A(2A) receptor or its chronic blockade decrease ethanol withdrawal-induced seizures in mice. *Neuropharmacology*. 2001 Mar;40(3):424-32. pdf

Naassila M, Beaugé FJ, Sebire N, Daoust M. Intracerebroventricular injection of antisense oligos to nNOS decreases rat ethanol intake. *Pharmacol Biochem Behav*. 2000 Nov;67(3):629-36. pdf

Hammoumi S, Payen A, Favre JD, Balmes JL, Benard JY, Husson M, Ferrand JP, Martin JP, Daoust M. Does the short variant of the serotonin transporter linked polymorphic region constitute a marker of alcohol dependence? *Alcohol*. 1999 Feb;17(2):107-12. pdf

Naassila M, Legrand E, d'Alche-Biree F, Daoust M. Cyamemazine decreases ethanol intake in rats and convulsions during ethanol withdrawal syndrome in mice. *Psychopharmacology (Berl)*. 1998 Dec;140(4):421-8. pdf

Naassila M, Hammoumi S, Legrand E, Durbin P, Daoust M. Mechanism of action of acamprosate. Part I. Characterization of spermidine-sensitive acamprosate binding site in rat brain. *Alcohol Clin Exp Res*. 1998 Jun;22(4):802-9. pdf

Le Pen G, Duterte-Boucher D, Daoust M, Costentin J. Pre-exposure to alcohol does not sensitize to the rewarding

effects of cocaine. *Neuroreport*. 1998 Aug 24;9(12):2887-91. pdf

Naassila M, Beaugé F, Daoust M. Regulation of rat neuronal nitric oxide synthase activity by chronic alcoholization.

Alcohol Alcohol. 1997 Jan-Feb;32(1):13-7. pdf

Naassila M, Roux F, Beaugé F, Daoust M. Ethanol potentiates lipopolysaccharide- or interleukin-1 beta-induced nitric oxide generation in RBE4 cells. *Eur J Pharmacol*. 1996 Oct 17;313(3):273-7. pdf